## Application No. Applicant(s) 10/597,437 KIM, SUK-YOON Notice of Allowability Examiner Art Unit JAMES M. HEWITT 3679 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to . 2. The allowed claim(s) is/are 1-4. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) ☐ Some\* c) ☐ None of the: 1. T Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. \( \overline{\text{Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413), Paper No./Mail Date 20080929. Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 7/25/06 8. X Examiner's Statement of Reasons for Allowance 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material Other . /James M Hewitt/ Primary Examiner, Art Unit 3679

Application/Control Number: 10/597,437 Page 2

Art Unit: 3679

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James Bame on 9/29/08.

The application has been amended as follows:

In the abstract:

On line 1, the phrase "The present invention relates to a" has been replaced with --A--

In the claims:

Each of the reference numerals appearing in the body of each of claims 1-4 has been placed within parenthesis. For instance, in claim 1, line 2, each instance of "20" has been replaced with --(20)--.

In claim 1, line 2, --a-- has been inserted after the second instance of "having".

In claim 1, line 3, "parts" has been replaced with --part--.

In claim 1, line 3, "at both sides from" has been replaced with --in--.

In claim 1, line 23, "treated smoothly" has been replaced with --smooth--.

Application/Control Number: 10/597,437

Art Unit: 3679

## REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The prior art of record does not disclose, singly or in combination, a joint for plumbing as claimed in detail in claim 1,

Particularly, the prior art fails to teach or fairly suggest at least the limitations "a spring (24) having an end supported by a protrusion of the concave part (22) and the other end located toward the inlet (26) of the body (20), the other end having the final round (24a) and an adjacent round forming a circle, which is at right angles to the insertion direction of the pipe (10), the final round (24a) being designed in such a manner as to be positioned in parallel with the adjacent round and at a predetermined interval from the adjacent round; and a stopper (25) inserted between the final round (24a) and the adjacent round of the spring (24), which are located toward the inlet (26), wherein a contact surface contacting the tapered part (23) of the body (20) is treated smoothly and a contact surface contacting the pipe (10) has a saw-toothed shape to maximize friction force to the pipe (10)."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/597,437

Art Unit: 3679

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES M. HEWITT whose telephone number is (571)272-7084.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Stodola can be reached on 571-272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/James M Hewitt/ Primary Examiner, Art Unit 3679